



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailadress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

product certificate

TIPP-OIL CVT NS-3 (green) 0002-000195

CVT NS-3 is a fully synthetic automatic transmission lubricant of the latest generation for CVT automatic transmissions. CVT NS-3 guarantees optimum power transmission. CVT NS-3 is designed on the basis of fully synthetic oils (PAO) with a special additive and inhibitor that ensure the proper functioning of the automatic transmission.

Application note:

CVT NS-3 is designed for use in CVT automatic transmissions (Belt-CVTs and Chain-CVTs). CVT NS-3 ensures a stable viscosity even under the highest mechanical stress in the transmission elements (thrust link belt).

Specifications:

Other specifications

Tried and tested in practice in units with filling regulations:

Nissan NS-3

Very good lubricating properties:

Very good lubricating properties even at low temperatures in winter

Very high, stable viscosity index

Very low flow point

Very good oxidation stability

Extensive protection against wear, corrosion and foam formation



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

Well matched coefficient of friction properties  
Neutral behaviour towards sealing materials  
Neutral behaviour through inhibition against non-ferrous metals  
Properties Data Unit Test according to  
Viscosity at 100°C 5,94 MM<sup>2</sup>/S DIN ISO 51562-2  
Viscosity index 189 DIN ISO 2909  
Color Green visual  
Density at 15°C 835.4 KG/M<sup>3</sup> DIN EN ISO 12185  
Pourpoint -54 °C ASTM D 7346

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In case of any problems, please request technical advice.



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailadress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

