



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

product certificate

TIPP-OIL Diesel Super 10W-30

Description of the

TIPP-OIL Diesel Super 10W-30 is a high-quality modern multigrade engine oil for passenger car engines with and without turbocharging of all makes. TIPP-OIL Diesel Super 10W-30 enables extended oil change intervals according to manufacturer's instructions.

TIPP-OIL Diesel Super 10W-30 can be used all year round for all engines. Minimization of friction, wear and fuel consumption, good cold start characteristics.

Instructions for use

TIPP-OIL Diesel Super 10W-30 is used in engines with the specified specifications. The operating instructions of the vehicle and engine manufacturers must be observed.

TIPP-OIL Diesel Super 10W-30 is suitable as a year-round oil for petrol and diesel passenger car engines.

Quality Classification

specifications

ACEA E2 API CF-4

TIPP-OIL Diesel Super 10W-30 is field-proven and tested in units with filling regulations:

Allison C-4

Caterpillar TO-2

MAN 271

MTU Type 2



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailadress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

Volvo VDS

VW 505 00

MB 228.1

Features & Benefits

Good cold start properties

A very stable and excellent viscosity behaviour, shear stability

High oxidation stability

Good detergent and dispersing properties

High safety reserves even under boundary lubrication conditions

catalyst suitability

Extended oil change intervals protect natural resources

Technical characteristics

Properties Data Unit Test according to

kinematic viscosity at 40°C 71.0 MM²/S DIN ISO 51562-2

kinematic viscosity at 100°C 11.5 MM²/S DIN ISO 51562-2

viscosity index 156 DIN ISO 2909

visual appearance YELLOWBROWN

density at 15°C 862 KG/M³ DIN EN ISO 12185

Pour Point -42 CELSIUS ASTM D 7346



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailadress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In case of any problems, please request technical advice.

23.07.2018 02:00:15

