



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

product certificate

TIPP-OIL Euro 6 Diesel 10W-30

Description of the

TIPP-OIL Euro 6 Diesel 10W-30 is a universal engine oil based on selected base oils in

Combination with state-of-the-art additives for all diesel engines with and without turbocharging in trucks, buses and work machines.

With TIPP-OIL Euro 6 Diesel 10W-30 a reliable engine oil has been developed.

Instructions for use

TIPP-OIL Euro 6 Diesel 10W-30 is an engine oil that can be used all year round. It was designed according to the new exhaust emission guidelines and is also suitable for vehicles with exhaust gas recirculation systems.

TIPP-OIL Euro 6 Diesel 10W-30 is universally applicable in all diesel engines with and without turbocharging.

Quality Classification

specifications

JASO DH-2

ACEA E6/E7

API CI-4

Recommendation.

MACK EO-N Volvo VDS-3

MACK EO-N Volvo VDS-3



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

Renault VI RLD-2

TIPP-OIL Euro 6 Diesel 10W-30 is field-proven and tested in units with filling regulations:

Cummins CES 20076/20077

DAF

Deutz DQC-IV-10 LA

MB 228.51/MB 226.9

MTU Type 3.1

Renault VI RXD/RGD

MAN M 3477/M 3271-1

Features & Benefits

Excellent oxidation stability

Very good high temperature stability

Excellent detergent & dispersant properties

Economy through low fuel consumption

High wear protection

Excellent cold start behaviour, fast engine oil penetration even at low temperatures

Very good viscosity-temperature behaviour

Neutrality towards seals

Technical characteristics

Properties Data Unit Test according to

kinematic viscosity at 40°C 80.3 MM²/S DIN ISO 51562-2



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

kinematic viscosity at 100°C 12.2 MM²/S DIN ISO 51562-2

viscosity index 148 DIN ISO 2909

visual appearance YELLOWBROWN

density at 15°C 859 KG/M³ DIN EN ISO 12185

Pour Point -39 CELSIUS ASTM D 7346

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes without notice. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In the event of any problems, request technical advice.

23.07.2018 02:00:12

