



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

product certificate

TIPP-OIL FS Low SAPS 0W-40

Description of the

TIPP-OIL FS Low SAPS 0W-40 is a high-performance low-viscosity engine oil for modern petrol and diesel engines in passenger cars and vans.

It is particularly recommended for use in engines with turbochargers and multi-valve technology.

Instructions for use

TIPP-OIL FS Low SAPS 0W-40 is a year-round oil. It is suitable for both short-distance and long-distance operation with heavy oil loads.

Quality Classification

specifications

API SN/CF ACEA C3

TIPP-OIL FS Low SAPS 0W-40 is proven in practice and tested in units with filling regulations:

BMW Longlife-04

MB 229.51/229.31/226.5

Porsche C40

Renault RN0700/0710



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

Chrysler MS-11106 dexos2

Fiat 9.55535-S2

Ford WSS-M2C917-A

VW 502 00/505 00/505 01

#### Features & Benefits

Excellent oxidation stability due to the use of high-quality base oils

Reliable lubrication, even at high operating temperatures

Excellent cold start properties

High fuel savings (Fuel Economy)

Very high wear protection

Use in petrol and diesel engines from various manufacturers

#### Technical characteristics

Properties Data Unit Test according to

kinematic viscosity at 40°C 72.7 MM<sup>2</sup>/S DIN ISO 51562-2

kinematic viscosity at 100°C 13.2 MM<sup>2</sup>/S DIN ISO 51562-2

Viscosity Index 186 DIN ISO 2909

appearance YELLOW visual

density at 15°C 845 KG/M<sup>3</sup> DIN EN ISO 12185

Pour Point -45 °C ASTM D 7346



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In the event of any problems, request technical advice.

25.09.2018 02:00:05

