



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

product certificate

TIPP-OIL FS Racing 10W-50

Description of the

TIPP-OIL FS Racing 10W-50 is a high-alloy synthetic low-viscosity multigrade engine oil based on

Basis of specially selected base oils TIPP-OIL FS Racing 10W-50 is also suitable for extremely sporty driving due to its special additive.

TIPP-OIL FS Racing 10W-50 is ideally suited for modern petrol engines under the heaviest load in car racing.

TIPP-OIL FS Racing 10W-50 ensures an optimum lubricating layer even at very high operating temperatures.

Instructions for use

TIPP-OIL FS Racing 10W-50 can be used as a special oil for car racing even under the toughest conditions.

Quality Classification

specifications

ACEA A3/B4

API SN/CF



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailadress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

TIPP-OIL FS Racing 10W-50 is field-proven and tested in units with filling regulations:

MB 229.3/229.1 Aprilia

VW 501 00/505 00 BMW

Ducati

Honda

Kawasaki

Moto-Guzzi

Suzuki

Triumph Yamaha

#### Features & Benefits

As a synthetic engine oil it can be used all year round.

A very stable and excellent viscosity behavior, shear stability

Fuel savings through reduced friction loss

Wear-protecting high oil film stability

Continuous high oil pressure

Low evaporation tendency, thus low oil consumption

Extensive protection against wear, corrosion and foam formation.

Catalyst suitability

Black sludge formation is prevented

Extended oil change intervals protect natural resources



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

#### Technical characteristics

Properties Data Unit Test according to

kinematic viscosity at 40°C 116.0 MM<sup>2</sup>/S DIN ISO 51562-2

kinematic viscosity at 100°C 17.4 MM<sup>2</sup>/S DIN ISO 51562-2

viscosity index 165 DIN ISO 2909

visual appearance YELLOWBROWN

density at 15°C 856 KG/M<sup>3</sup> DIN EN ISO 12185

Pour Point -36 CELSIUS ASTM D 7346

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In the event of any problems, request technical advice.

04.07.2018 11:54:59

