



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

product certificate

TIPP-OIL Pro LongLife IV 0W-20

Description of the

TIPP-OIL Pro Longlife IV 0W-20 was specially developed for the latest Volkswagen specification VW 508 00/509 00 (also known as VW Blue Oil).

It combines durability and protection in an engine oil with low viscosity and lowered HTHS. Developed by experts to support the service life and efficiency of vehicles with the latest generation petrol and diesel engines that require viscosity classes SAE 0W-20.

The ACEA A1/B1 specification is met, so TIPP-OIL Pro Longlife IV 0W-20 is of course also suitable for many vehicles from other manufacturers.

Instructions for use

TIPP-OIL Pro Longlife IV 0W-20 can only be used in modern engines and is not downward compatible.

It is ideally suited for applications with extended oil change intervals (Longlife) where the use of a SAE 0W-20 engine oil with reduced ash content and reduced HTHS is required. Distinguishing features such as a specific colour and chemical markers are included.

Observe manufacturer's instructions!

Quality Classification

Specifications ACEA A1/B1



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

TIPP-OIL Pro LongLife IV 0W-20 is proven in practice and tested in units with filling regulations:

VW 50800/50900 Porsche C20

#### Features & Benefits

future-proof additives for future generations of engines

high fuel efficiency

Excellent motor protection

excellent for extended maintenance intervals

Reduced HTHS viscosity for maximum fuel economy

highest oxidation stability based on fully synthetic PAO base oils

VW Blue Oil typical colouring to avoid mix-ups

best cold start characteristics and due to SAE class 0W-20

#### Technical characteristics

Properties Data Unit Test according to

kinematic viscosity at 40°C 39,200 MM<sup>2</sup>/S DIN ISO 51562-2

kinematic viscosity at 100°C 8,000 MM<sup>2</sup>/S DIN ISO 51562-2

Viscosity Index 182 DIN ISO 2909

appearance GREEN visual

density at 15°C 836.0 KG/M<sup>3</sup> DIN EN ISO 12185

Pour Point -60 °C ASTM D 7346



IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailaddress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes without notice. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In the event of any problems, request technical advice.

11.07.2018 11:17:52





IPT International Petroleum Trading LTD  
Robert-Bosch-Strasse 12  
25335 Elmshorn  
Company registration number: HRB 13315 PI  
Sales tax identification number: DE313987910  
**E-mailadress:** [contact@tippoil.com](mailto:contact@tippoil.com)  
**Website:** [www.tippoil.com](http://www.tippoil.com)  
Tel: +4923036728527