



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

product certificate Break-In Oil SAE 30

Description of the

TIPP-OIL Break-In Oil SAE 30 is a mineral run-in oil for the initial filling and running-in of repaired or overhauled engines.

TIPP-OIL Break-In Oil SAE 30 does not use friction modifiers in order to considerably shorten the running-in phase of repaired and modified engines. A quick setting of the piston rings is achieved.

TIPP-OIL Break-In Oil SAE 30 is particularly recommended for the running-in of classic V8 engines with flat tappets due to its high ZDDP (zinc dithiophosphate) content.

Instructions for use

TIPP-OIL Break-In Oil SAE 30 serves as a classic running-in oil and may therefore only remain in the engine for a short time (max. 1000km). The particularly high proportion of wear-inhibiting additives offers extra protection during the critical running-in phase of repaired engines. Please observe the specifications of your engine reconditioner during the running-in phase. High engine loads and speeds must be avoided.

Quality Classification

Specifications are proven in practice and tested in units with filling regulations:

Properties

Very high ZDDP content



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

No friction modifier

Fastest possible retraction of the motor

Technical characteristics

Properties Data Unit Test according to

kinematic viscosity at 40°C 92,600 MM²/S DIN ISO 51562-2

kinematic viscosity at 100°C 11.170 MM²/S DIN ISO 51562-2

viscosity index 107 DIN ISO 2909

visual appearance YELLOWBROWN

density at 15°C 884.0 KG/M³ DIN EN ISO 12185

Pour Point -27 CELSIUS ASTM D 7346

All data given are approximate values and are subject to the usual production fluctuations.

To the best of our knowledge, all data correspond to the current state of knowledge and our development. We reserve the right to make changes. All references to DIN standards are for product description purposes only and do not constitute a guarantee. In the event of any problems, request technical advice.

04.07.2018 11:59:15



IPT International Petroleum Trading LTD
Robert-Bosch-Strasse 12
25335 Elmshorn
Company registration number: HRB 13315 PI
Sales tax identification number: DE313987910
E-mailaddress: contact@tippoil.com
Website: www.tippoil.com
Tel: +4923036728527

